

Corporate Presentation September 2017





A Brief History...

Akcali Inc. has been in the paint industry since 1984. Turkish paint industry is the 5th largest in Europe, The objective of Akcali Inc. is to position the company as the 3rd largest manufacturer in Europe. Our experience of nearly half a century, has enabled the company to become a reliable brand and ranked among the top 5 in Europe. We deliver services all across the country with our leading brands Permolit and Carat at the forefront, from our 80000-m2 production plants.







As a major player in the paint industry, Akcali Inc. renews and improves its product range continually and delivers across the world at affordable prices.

We always continue to put top quality into the marketplace, our products were rewarded in 2004 with German TUV Thuringen E.V. and EN ISO 9001:2008 quality certificates.







We have robust policy and systems in place to manage the wide range of sustainability issues, we encounter in our business activities.

Listening to our stakeholders helps us to proprieties these issues by identifying those that are most important to them and to us.

We are constantly making innovations in the field of R&D by keeping up with the varying needs of the market, our company has 260 different products, with plans to further expand its product range.







Our Collaborations...

Permolit Paint, Akcali Spray, Thermal Insulation Systems, Carat, Motip, Antica Signoria and Duplicolor are the companies, the products of which we distribute.



OUR PRODUCT RANGE

Water-Based Interior Paints



Permomax Silicone Silk-Matt Interior Paint

Wall paint, which is available in vibrant colour options and breathable, ensures maximum durability. It can be used on plaster, putty, precast concrete panel, gypsum as well as interior structural members such as plasterboard, chipboard and mdf, etc.

- Capable of creating silky surfaces with high covering power and vibrant colours.
- Stain proof and resistant against mold growth.
- Adheres onto the surfaces without cracking and spilling.
- Provides long-lasting usage.
- it can be used in damp places.



Water-Based Interior Paints



Permoplast Acrylic Interior Paint

Has vast covering power that is easy to apply. Wipe-able and long lasting. It can be used on plaster, paste, concrete, gypsum as well as interior structural surfaces such as plasterboard, chipboard and MDF boards etc. Water-Based Interior Paints





Duvart Marble Decorative Wall Paint

Will transform your walls, with its decorative marble look. Can be used on smooth interior structural surfaces which is primed with primer. You can also use it on exterior structural surfaces which do not get heavy rain, on the condition that it is applied with special varnish.

- Enhances all the surfaces and adds marble texture to the walls.
- Can be colored with Permocolor colour tubes.
- Wipe-able and long lasting.





Duvart Mother-of-Pearl Decorative Wall Paint

Interior paint, as aesthetical, decorative and vivid as mother-of-pearl. It is used on plaster, putty, concrete as well as interior structural members such as precast concrete panel, gypsum, plasterboard, chipboard and mdf which has a smooth and flat surface.

- Once applied, it gives the surface the elegance of a pearl.
- It makes all the difference in the spaces, with an artistic touch.
- It has a high durability. Breathable and wipeable.
- It can be coloured with Permocolor colour tubes.



Ceiling Paints



Permolit Super Ceiling Paint

Full matt, decorative and high-quality topcoat ceiling paint. It is used on plaster, putty, concrete as well as interior structural members such as precast concrete panel, gypsum, plasterboard, chipboard and mdf, etc.

- Easy to apply, breathable, professional ceiling paint.
- No splashing as it is extra matt.
- Excellent covered.





Permolit Super Ceiling Paint

Full matt, decorative and high-quality topcoat ceiling paint. It is used on plaster, putty, concrete as well as interior structural members such as precast concrete panel, gypsum, plasterboard, chipboard and mdf, etc.

- Easy to apply, breathable, professional ceiling paint.
- No splashing as it is extra matt.
- Excellent covering power.





Permosil Silicone Exterior Paint

Water-based exterior paint which is used on any plaster, putty, concrete as well as exterior structural members such as exposed concrete, precast concrete panel, gas concrete, gypsum, stone and brick.

- All-weather resistant, colourfast, highly UV resistant and wipeable.
- Not to be used on elastic surfaces.





Permokot Rubberized Texture Exterior Coating

Water-based exterior paint which is used on any plaster, putty, concrete as well as exterior structural members such as exposed concrete, precast concrete panel, gas concrete, gypsum, stone and brick.

- High surface adhesion and flexibility.
- Easy to apply, long lasting and breathable elastic exterior paint.





Perulo Silicone Textured Exterior Coating

While it can be used on any plaster, concrete as well as exterior structural members such as gas concrete, gypsum, paste, precast concrete panel, mineral surfaces, stone and previously painted surfaces, it is also used on interior surfaces, wood and metal for decorative purposes.

- High surface adhesion and flexibility.
- Easy to apply, long lasting and breathable elastic exterior paint.





Perulo Acrylic Textured Exterior Coating

Applied on any plaster, paste, concrete, precast concrete panel, gross concrete, gas concrete, gypsum, stone, brick, mineral based surfaces, thermal insulation systems as well as interior structural members for decorative purposes.

Water-based, texture-patterned, matt exterior paint.





Permokapar Interior Covering Primer

Applied on any plaster, concrete, as well as interior structural members such as gross concrete, precast concrete panel, gas stone, brick and previously painted surfaces.

• Paint consumption decreases. It prevents color surge.





Permobinder

When used on gypsum, plasterboard, paste, gas concrete and similar untreated surfaces as well as previously whitewashed, low-quality, absorbent latex-painted, highly absorbent and dusty surfaces.

- Cleans up dusty surfaces and prepares for painting while it reduces paint consumption.
- Prevents colour ripples on the painted surfaces. This is concentrated product.





Permoton Exposed Concrete Primer

Green coloured primer which is used to increase adherence of the surface, prior to plaster or cement-based rendering to be applied on gross concrete surfaces.





Permogren Grainy Exterior Primer

When used on any concrete, gas concrete, plaster and thermal insulation rendering, prior to top coat application.

• It prevents color surge and provides maxsimum grip.





Permoten Satin Plaster Primer

Used on gypsum, satin plaster, plasterboard, gas concrete, poorly rendered surfaces as well as highly absorbent, dusty, limy and faded surfaces painted with low-quality latex paint.

Cleans up the dusty surfaces and prepares for painting.





Permokapar Silicone Exterior Covering Primer

Used on any plaster, concrete, gross concrete, precast concrete panel, gas stone, brick as well as interior and exterior structural members such as previously painted surfaces.

• Paint consumption decreases. It prevents color surge.





Permokapar Silicone Exterior Covering Primer

Used on any plaster, concrete, gross concrete, precast concrete panel, gas stone, brick as well as exterior structural members such as previously painted surfaces.

• Paint consumption decreases. It prevents color surge. It saves time while it facilities the labour.





Permomacun Super Acrylic Interior Putty

Used on any plaster, paste, concrete and interior structural members such as precast concrete panel, gypsum, chipboard, mdf, etc., prior to priming.

- Creates surfaces which provides excellent covering for the paints.
- Helps to get damp-proof and smooth surfaces.





Permomacun Super Acrylic Water-Based Exterior Wall Putty

Used on any plaster, putty, concrete as well as exterior structural members such as precast concrete panel, gypsum, chipboard, mdf, etc., prior to priming.

- Crates surfaces which provides excellent covering for the paints.
- Helps to get damp-proof and smooth surfaces.





Permolak Water-Based Acrylic Primer

Used on plaster, putty, concrete as well as interior and exterior structural members such as gross concrete, precast concrete panel, gas concrete, plasterboard, stone, brick and previously painted surfaces.

Cleans up dusty surfaces and prepares for painting.

- Reduces paint consumption and provides excellent paint covering.
- Prevents colour ripples on the painted surfaces.





Permoset Interior and Exterior Transitional Primer

Suitable for use on interior and exterior walls.

- Reduces paint consumption and provides excellent paint covering.
- Prevents colour ripples on the painted surface.
- Helps to implement colour transitions with ease.





Permosar Silicon Exterior Primer

Can be used on plaster, paste, concrete as well as interior and exterior structural members such as gross concrete, precast concrete panel, gas concrete, gypsum, plasterboard, stone, brick and previously painted surfaces.

- Creates a firm surface on which the topcoat can adhere.
- Reduces paint consumption and provides excellent paint covering.
- Prevents colour surge.





Permokolor Universal Colorant

A concentrated, binder-free colorant, capable of tinting all kinds of paints. It is used for tinting all sorts of water and solvent-based paint, varnish, coating materials.



Permokolor Water-Based Colorant

A concentrated, binder-free colorant, capable of tinting all kinds of paints. It is used for tinting water-based, interior, exterior paints and varnishes or it can be used directly as a paint.





Permodur Fibre Liquid Plastic Coating

Used on roofs, terraces, foundations, basement walls, window sills, pools, water tanks, cisterns and the junction points of horizontal and vertical surfaces which need waterproofing.





Permodur Liquid Plastic Isolating Coating

Used on roofs, terraces, foundations, basement walls, window sills, pools, water tanks, cisterns and the junction points of horizontal and vertical surfaces which need water insulation.



Permoluks High Gloss Solvent - Based Paint

Can be used on any wood, metal, plaster, paste, concrete as well as interior and exterior surfaces of structural members such as precast concrete panel, gypsum, plasterboard, chipboard and mdf, etc. by priming properly.

- Maintains its gloss for a long time although it has high gloss and covering power.
- Long lasting.



Solvent-Based



Enamel Solvent- Based Paint

Can be used on any wood, metal, plaster, putty, concrete as well as interior and exterior surfaces of structural members such as precast concrete panel, gypsum, plasterboard, chipboard and mdf, etc. by priming properly.

Has high gloss and covering power.





Matt Synthetic Paint

Can be used on any wood, metal, plaster, putty, concrete as well as interior and exterior surfaces of structural members such as precast concrete panel, gypsum, plasterboard, chipboard and mdf, etc. by priming properly.

Resistant to yellowing and has high covering power.





Permomast Solvent- Based Primer

Can be used on any wood, metal, plaster, putty, concrete as well as interior and exterior surfaces of structural members such as precast concrete panel, gypsum, plasterboard, chipboard and mdf, etc. prior to topcoat application.

Prevents surges and paint defects on topcoat.





Permomacun Solvent-Based Putty

Used on any wood, metal, plaster, putty, concrete as well as interior and exterior surfaces of structural members such as precast concrete panel, gypsum, plasterboard, chipboard and mdf, etc. prior to primer application.

• Easy to use and smooth to apply and resistant against water and saltwater conditions.





Monotip Anti-Rust

Can be used as primer and topcoat on any wood, metal, plaster, putty, concrete as well as interior and exterior surfaces of structural members such as precast concrete panel, gypsum, plasterboard, chipboard and mdf, etc.

• Primer and topcoat paint which is developed to give all types of rusty and corrosive metal surfaces a decorative look and to protect from rusting.



Solvent-Based



Panel Door Paint

Applied on any wooden surface such as mdf, veneer and solid wood .It is especially formulated for panel door applications.

- High covering power. Lead-free. Resistant to yellowing.
- Helps to get smooth surfaces, as it is easy to use and smooth to spread.
- Highly resistant against shocks, physical and chemical impacts.



Akcali Anti-Rust Primer

Used on any corrosive metal used indoor or outdoor.

• Anti-rust primer which is developed to protect all sorts of corrosive metal and to prepare for topcoat application.



Solvent-Based



Grafite Metallic Paint

It can be used on all metal surfaces such as iron, galvanized and aluminium as well as building members for decoration purposes.

• It dries fast and leaves a metallic shine on the surfaces to which it is applied.





Metallic Paint

Decorative metal paint. It protects corrosive metals against corrosion.

- It dries fast. It adheres well onto bare and primed metal surfaces.
- It gives a decorative look while it removes defects during metalworking.





Metallon Anti-Rust Metal and Wood Paint

It can be used as primer and topcoat on any wood, metal, plaster, putty, concrete as well as interior and exterior surfaces of structural members such as precast concrete panel, gypsum, plasterboard, chipboard and mdf, etc.

• It leaves a metallic shiny film on all surfaces to which it is applied.





Akstar Aluminium Metal Paint

Used on any metal and particularly the surfaces such as the pipes of heat conduction systems, stove pipes, exhaust pipes, chimneys, central heating installations or on the surfaces such as stone, concrete and wood on which a decorative look is desired.

• Gives a lustre and metallic look to the surfaces on which it is applied.





Akcali Metal Paint (Golden - Bronze - Copper)

Used on any metal and particularly the surfaces such as the pipes of heat conduction systems, stove pipes, exhaust pipes, chimneys, central heating installations or on the surfaces such as stone, concrete and wood on which a decorative look is desired.

• Gives a lustre and metallic look to the surfaces on which it is applied.





Cellulosic Thinner

Used as thinner in the applications of all cellulosic-based products as well as for cleaning the application tools and application surfaces.



Solvent-Based



Synthetic Thinner

Used for thinning all synthetic-based paints, varnishes and primers as well as for cleaning the application tools and any grease, dust and organic impurities on the metal surfaces to be painted for the first time.



Wood Preservative



Varnish Wood Protector

Used on any indoor and outdoor wooden surfaces.

- No separate wood preservative or varnish required.
- Stains and preserves the wood without hiding the natural texture, thanks to its transparent composition.





Tiled Glass Varnish

Used on the surfaces of any wood, decking, flooring, stair, parquet and furniture used indoor and outdoor, which requires endurance and scratch resistance.

• Protects the wood against abrasives such as detergent, alcohol, grease and fruit juice, without damaging the natural composition.



Wood Preservative



Yacht Varnish

Used on indoor and outdoor wooden surfaces of buildings, wooden furniture and wooden parts of marine vessels.

•Protects the wood against the elements, scratches and the wearing effects of rain and saltwater, without damaging the natural composition. It does not crack, swell or feel off.



Cellulosic Varnish

Used on any wood and coating/flooring material.

- Dries fast and does not change the natural look of the wood.
- Protects the wood against moisture, scratches and impacts.



Wood Preservative



Cellulosic Filler Varnish

Used on any wood and coating/flooring material.

•Fill up the surface to which it is applied, leaving a firm and easy-to-sand layer of film.





Teak Oil

Used on any type of wood in frequent touch with water, park and garden furniture made of wood, boat decks, docks and benches.

- Nourishes solid and valuable wood such as oak, teak, iroko, mahogany, rosewood, etc. It prevents the wood from drying, cracking and greying/fading and extends the service life of the wooden surfaces.
- Protects the wood without damaging the natural composition.



Wood Preservative

Solid Wood Mastic

Used to repair and fix any irregularities and gaps on all types of wooden surfaces.



Permo Road Marking Paint

Used for marking asphalt, concrete, mosaic surfaces, roads, kerbs as well as for painting other surfaces at carparks, building complexes, malls, which require durable and abrasion-resistant painting.

- High covering power.
- Resistant against, saltwater, mechanical frictions and chemicals.



Permoyol Road Marking Paint

Thinner and cleaning solvent for road marking paint. Used for thinning road marking paint products and for cleaning application tools.



Covering Paint

Used on all types of interior building members, including painted or unpainted ceiling, wall, etc.

• Isolates any blemishes such as moisture stains, ink, graffiti, marker/wax pen, lipstick, nicotine, smut, soot from stoves and fire, which cannot be covered with normal paints and prevents them from rising to surface again.



Special Paints

Tennis Court Paint (Solvent-Based)

Topcoat which can be used at all tennis courts.

- Fade-resistant.
- The paint is UV-resistant and has a high covering power.



Special Paints

Tennis Court Paint (Water-Based)

Topcoat which can be applied at tennis courts.

• High covering power, fade-resistant and UV-resistant.



Water-Based Fire Retardant Paint

Water-based primer which provides passive protection against fire.

- Slows the heat of fire from spreading over to the application surface, by swelling up to 40-60 times of its thickness in the event of fire.
- Can be applied with a topcoat.



Sprays

Akcali Spray Paint

General purpose topcoat which dries fast and forms a protective film.

- Can be applied onto all surfaces used indoor and outdoor, such as wood, metal, concrete plaster.
- Used in a wide range of applications, such as furniture and household goods rejuvenation, white goods, general repair, imitations, hobby, decoration, bicycles, motorbikes, automotive and machinery parts, etc.



Sprays

Referee Spray Paint

Approved by the members of International Football Association Board (IFAB), the spray which is easy to clean in no time helps to restrict the 9-cm wall distance in free kicks.



Permolit Thermal Insulation Systems

Thermal Insulation Plates

Permolit Neopar Thermal Insulation Plate

Grey-coloured, Class B1, new generation thermal insulation plate.

Permolit EPS Platin (With Carbon) Thermal Insulation Plate

Class B1 thermal insulation plate, reinforced with expanded graphite, made of polystyrene granules.

Permolit EPS White Thermal Insulation Plate

White-coloured, Class B1 thermal insulation plate, made of expanded polystyrene granules.

Permolit Stone Wool Thermal Insulation Plate

Thermal insulation plate, made of fibers by melting inorganic basalt rock in high temperature. Fire and sound proof.



Permolit Thermal Insulation Systems

Permolit Construction Chemicals

Thermal Insulation Adhesive

Polymer-modified, cement-based, highly adhesive ready-to-use mortar, used to putty thermal insulating plates.

Thermal Insulating Plaster

Polystyrene-based, highly resistant, polymer-modified, highly adhesive,

fiber-reinforced, ready-to-use mortar, used to plaster insulating panels.

Thermal Insulation Decorative Coating Plaster

White cement and polymer-reinforced, highly resistant, mineral textured, super white coloured, decorative, topcoat wall coating mortar, which is applied with a trowel.



Permolit Thermal Insulation Systems

Permolit Construction Chemicals

Tile and Ceramic Adhesive

Polymer-reinforced, cement-based adhesive mortar, which is easy-to-apply and prepare and used for pasting materials such as tiles and ceramics.

Grout Filler

Cement-based grout filling material with special grain size, which is used for ceramic and tile grouts and contains mineral aggregate and chemical additives enhancing the product performance.

Granit Adhesive

Cement-based, single-component adhesive with high mechanical endurance, which contains chemical additives enhancing the product performance.



Permolit Thermal Insulation Systems

Permolit Thermal Insulation Mesh

Thermal Insulation Glass-Fiber Mesh

Glass-fibre reinforced thermal insulation mesh which is resistant against alkalis.



Permolit Thermal Insulation Systems

Permolit Thermal Insulation Profiles

PVC Corner Profile with Mesh

Corner profile, made of PVC profile with round holes.

Aluminium Corner Profile

Made of aluminium with round holes.

Aluminium Sub-Basement Profile

Sub-basement profile made of aluminium with round holes.

PVC Sill Extension Profile

PVC sill extension profile, used as a sill and drip on the window ledges.

PVC Joint Profile

PVC Joint profile.



Permolit Thermal Insulation Systems

Permolit Thermal Insulation Profiles

Standard Dowel

Plastic-nail, thermal insulation material with flat head, which is made of plastic and used for securely fixing thermal insulation plates onto the brick surface during thermal insulation system application on exterior walls.

Plastic-Nail Standard Concrete Dowel

Plastic-nail, thermal insulation material with flat head, which is made of plastic and used for securely fixing thermal insulation plates onto the concrete surface during thermal insulation system application on exterior walls.



Permolit Thermal Insulation Systems

Permolit Thermal Insulation Profiles

Steel-Nail Standard Concrete Dowel

Steel-nail, thermal insulation material with flat head, which is made of plastic and used for securely fixing thermal insulation plates onto the surface during thermal insulation system application on exterior walls.

Gas Concrete Dowel

Used to prevent adherence weaknesses.

Universal Dowel

Universal dowel, designed to eliminate any differences and problems caused by adherence structures.



Permolit Thermal Insulation Systems

Permolit Thermal Insulation Profiles

OSB Dowel

These dowels are used for mechanical installation of all insulation plates onto wooden surface, including insulation applications on wooden surfaces.

Sub-Basement Profile Installation Dowel

Installation dowel with steel screw.



- Satin Roller Satin Radiator Roller
- Microfiber Interior & Exterior Roller Microfiber Interior & Exterior Replacement Roller
- Radiator (Finger) Roller Radiator, Replacement (Finger) Roller
- Plastic Handle Lining Fitch Brush Plastic Handle Lux Oil Paint Brush
- Robot Brush Wooden Handle Super Lining Fitch Brush
- Wooden Handle Extra Oil Paint Brush Wooden Handle Eco. Oil Paint Brush
- Practical Tarp Protective Coating



THANK YOU